

## शुद्धोधन गाउँपालिका गाउँ कार्यपालिकाको कार्यालय



लवनी, कपिलवस्तु लुम्बिनी प्रदेश, नेपाल।

प. सं. : २०८०।८१

च. नं. :

मितिः २०८०।१०।२३

श्री जो जससँग सम्बन्धित छ ।

विषयः दररेट पेश गर्ने सम्बन्धमा ।

कपिलवस्तु जिल्ला शुद्धोधन गा. पा. लवनी, कपिलवस्तुको लागि एउटा चारपाङ्ग्रे गाडि भाडामा लिनुपर्ने भएकोले तपिसलको टेक्निकल स्पेसिफिकेशन बमोजिमको चार पाङ्ग्रे गाडि ड्राईभर, मर्मत संभार स्वयंले व्यहोर्ने गरी उपलब्ध गराउन सिकने न्यूनतम मूल्य यो सूचना प्रकाशन भएको मितिले ७ (सात) दिनभित्र यस कार्यालयमा दररेट पेश गर्नुहुन जानकारी गराईन्छ ।

नोटः जिल्ला दररेट भन्दा बढी पेश भएको प्रस्ताव ग्राह्य हुनेछैन र भुक्तानी प्रक्रियामा नियुक्तनुसार १०% बाहाल कर कट्टी गरी भुक्तानी गरिनेछ ।



Page 1 of 2

## Technical Specification of 4WD Jeep Type Vehicle

		Required Specification	Offered Specification
. N.	Criteria .	(AND) Right Hand Drive model suitable for	Make:
-	General	driving in Nepal. The gross vehicle weight of the vehicle shall	Model:
		not be less than 2400 kg and shall have seating capacity for at	Mfg. Year:
		not be less than 2400 kg and share	
		least a driver and 7 passengers.	
		4-Stroke, water-cooled Diesel Engine, developing maximum	Make:
2	Engine	to the first less than by KVV at Boverney	Model:
		Taralla not less Indi 400 ivili di 80	BHP/kW:
		- Displacement not less illed 2000 co, circ	Torque:
		RPM, Engine Displacement not less than the least that least the least the least the least the least that least the lea	Displacement(cc):
	deligações de	the vehicle at operating conditions.	
	1	Not more than 2800 mm	
3	Wheel Base	Not more than 4500 mm	
4	Overall	Not more than 122	
	Length	Not more than 6 m	
5	Turning		
	Radius	The emission standard of the vehicle should comply with the	
6	Emission	with the same emission standard of Nepal Wille	
	Standard	be certified by the Department of Transport Management	,
	- C	t	
7	Gauges	pressure, transmission gauge, etc. as necessary for efficien	
		operation and maintenance.	
-	Clutch		
8		the state of least five (5) forward and one reverse, not	)I
9	HallSillission	to the good through control at the universeas.	*
10	Ground	high ground clearance is preferred, a minimum of 180 mm	
	Clearance		at
1	*	Leaf spring/ coil spring/ torsion bar/ shock absorbers at fro	
	Jaspension	and rear.	
1	2 Tires	Standard size	
	3 Steering	Power Steering type hydrau	lic
-	4 Brakes	Front ventilated Disc type, Rear disc/drum type hydrau	uit
	6	operated on all wheels and parking brake, dans	
1	L5 Cab	At least 3 doors (2 side doors and 1 back door), all meta	ont
-		At least 3 doors (2 side doors and 2 state windscreen, from the cab with insulated roof, laminated glass windscreen, from the cab with insulated roof, laminated glass windscreen, from the cab wind	ıgh
		ventilation, comfortable and adjustable seats for driver a	iew
,	4000	co-passenger. Sun visor, rearview mirror, and two side v	
La constitución de la constituci	and a constitution of the	mirrors.	
	16 Chassis	& Heavy duty with toe-hook in front and rear preferred.	
	Frame		0/

Carry



Page 2 of 2

	Accessories	Headlight, tail and rear light, reversing light, and turn signals Cabin lights Speedometer/odometer One spare wheel with tire and tube. Suitable jack and handle Seat belt for driver, co-driver and co-passenger MP3 player/radio FM Equipped with all accessories offered in the standard model but not limited to the above items
18	Instructions	All signs and instructions in the vehicle shall be in English  One copy of the operator's and Owner's instructions and  One copy of the operator's and Owner's instructions and
19	Manuals	maintenance manual in English shan be say,
20	Tools	vehicle.  A set of tools as required for general maintenance shall be supplied.
21	Color	Standard The vehicle offered shall be under standard production by the
22	Proven performance	s the ser for at least one year.
23	Warranty	after acceptance.
24	Delivery	The 1-unit Jeep type Verticle Statistics Shuddhodhan Rural Municipality, Office of the Rural Municipal Executive, Kapilvastu, Nepal

The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specification.

Non-compliance with these major items will result in non-responsiveness to the bid offered.

Bidders Signature Date

